






GENERAL SPECIFICATIONS

PANEL SIZING

	LOUVER SIZE	WIDTH	HEIGHT MIN. 2 LOUVERS
MIN.	2.5"	7	9"
	3.5"		11"
	4.5"		13"
MAX.	2.5"/3.5"/4.5"	36"	120"

NUMBER of HINGES PANEL

PANEL HEIGHT	# of HINGES
12" to 48"	2
49" to 72"	2
73" TO 96"	4
97" TO 120"	5




T-post is recommended if opening exceeds 84" in width
 Divider rails are recommended in panels 72" or longer. Required in panels 96" or longer.


FRAMING SIDES

- 4** 4 SIDED FRAMES Framed in all 4 sides
- 4S** 4 SIDED FRAMES WITH SILL CUT 4 sided with bottom frame trimmed to sit on sill
- T3** TRUE 3 SIDED FRAMES 3 side frames are not recommended for most applications.


Please call your sales representative for information. Standard bottom clearance is 1/8".
 If you need additional clearance, please specify on your order form.



4 Sided Frames



4 Sided Frames with Sill Cut



True 3 Sided Frames

MINIMUM WINDOW DEPTH

FRAME	Z FRAME (LG/MD/SM)			L FRAME/T FRAME O.M.			L FRAME I.M.		
LOUVER SIZE	2.5"	3.5"	4.5"	2.5	3.5"	4.5"	2.5"	3.5"	4.5"
WINDOW DEPTH	1 3/8"	1 7/8"	2 3/8"	N/A	3/8"	7/8"	2"	2 1/2"	3"
FRAME	MALIBU Z FRAME			MALIBU FRAME O.M.					
LOUVER SIZE	2.5"	3.5"	4.5"	2.5"	3.5"	4.5"			
WINDOW DEPTH	1 1/8"	1 5/8"	2 1/8"	N/A	1/2"	1"			

